

ELR6013 Trinity Point		Contractor	Sampler	Phone	Most Recent Event		
Historical Measurements		Enviropacific	BH/AN	0423 812 776	25-Jul-16		
Site	Date	Depth-Average Parameter					
		Temperature [C]	pH	Turbidity [NTU]	DO [%]	EC [mS/cm]	
A	17-Feb-16	28.1	8.3	0.1	65.45 ^a	46.6	
	24-Feb-16	27.8	8.0	0.4	88.8	46.6	
	2-Mar-16	27.5	8.1	0.5	79.2	49.2	
	9-Mar-16	27.7	8.2	1.1	87.5	49.1	
	16-Mar-16 ^w	27.1	8.2	1.3	73.4	51.9	
	23-Mar-16	23.1	8.2	3.3	85.6	50.5	
	1-Apr-16	24.9	8.2	0.0	84.6	53.2	
	6-Apr-16	24.6	8.2	0.4	85.7	53.6	
	20-Apr-16	23.1	8.2	0.0	94.1	51.6	
	27-Apr-16	21.9	8.4	0.0	89.2	53.3	
	5-May-16	21.7	8.4	0.0	89.2	51.8	
	11-May-16	20.0	8.2	0.0	84.1	54.5	
	18-May-16	19.7	8.1	0.0	82.4	55.2	
	1-Jun-16	16.9	8.2	0.0	93.7	54.9	
	8-Jun-16	16.4	8.3	0.0	92.2	52.5	
	24-Jun-16 ^w	15.3	8.3	0.0	88.7	52.9	
	29-Jun-16	14.5	8.3	0.0	85.6	52.8	
	6-Jul-16	13.4	8.5	0.0	93.3	54.2	
	20-Jul-16 ^w	14.9	8.4	0.0	103.7	53.8	
	25-Jul-16	13.9	8.4	0.2	91.7	53.5	
		Max	28.1	8.5	3.3	103.7	55.2
		Min	13.4	8.0	0.0	73.4	46.6
	B	17-Feb-16	28.1	8.2	1.5	53.1 ^a	46.5
		24-Feb-16	28.1	8.0	0.2	72.2	49.2
		2-Mar-16	27.5	8.1	0.0	83.5	51.2
9-Mar-16		27.9	8.1	1.1	80.6	50.4	
16-Mar-16 ^w		27.0	8.2	0.3	77.6	52.1	
23-Mar-16		23.2	8.2	1.8	89.6	52.1	
1-Apr-16		24.8	8.2	0.3	86.9	53.2	
6-Apr-16		24.5	8.2	0.1	89.1	52.3	
20-Apr-16		23.2	8.2	0.0	97.0	51.2	
27-Apr-16		22.2	8.4	0.0	89.6	52.2	
5-May-16		21.7	8.5	0.0	93.4	59.8	
11-May-16		19.8	8.2	0.1	105.3	54.3	
18-May-16		19.7	8.2	0.0	87.3	55.3	
1-Jun-16		16.8	8.2	0.0	87.3	55.0	
8-Jun-16		16.3	8.3	0.0	91.8	59.9	
24-Jun-16 ^w		15.6	8.3	0.0	91.8	52.1	
29-Jun-16		14.4	8.3	0.0	90.6	53.6	
6-Jul-16		13.5	8.5	0.0	92.0	53.4	
20-Jul-16 ^w		15.5	8.5	0.0	89.0	53.4	
25-Jul-16		14.1	8.4	0.1	79.1	51.5	
		Max	28.1	8.5	1.8	105.3	59.9
		Min	13.5	8.0	0.0	72.2	46.5
C		17-Feb-16	28.0	8.3	0.0	45.9 ^a	48.1
		24-Feb-16	27.5	8.0	0.2	87.9	50.3
		2-Mar-16	28.2	8.1	0.0	82.7	50.1
	9-Mar-16	27.2	8.2	2.6	82.5	49.1	
	16-Mar-16 ^w	27.1	8.2	1.3	76.8	51.2	
	23-Mar-16	23.0	8.2	0.1	86.1	51.8	
	1-Apr-16	24.4	8.2	0.0	88.4	51.7	
	6-Apr-16	24.5	8.2	0.0	86.1	59.4	
	20-Apr-16	23.1	8.2	0.0	93.8	50.3	
	27-Apr-16	21.9	8.5	0.0	88.1	53.6	
	5-May-16	21.7	8.4	0.0	87.1	52.4	
	11-May-16	20.0	8.2	0.0	87.3	54.1	
	18-May-16	19.5	8.2	0.0	95.0	55.0	
	1-Jun-16	16.7	8.2	0.0	91.9	53.8	
	8-Jun-16	16.7	8.2	0.0	91.9	53.8	
	24-Jun-16 ^w	15.5	8.3	0.0	92.5	53.1	
	29-Jun-16	14.1	8.3	0.0	96.7	53.4	
	6-Jul-16	13.5	8.5	0.0	93.1	52.7	
	20-Jul-16 ^w	15.3	8.4	0.0	91.3	53.6	
	25-Jul-16	13.9	8.4	4.6	88.3	50.3	
		Max	28.2	8.5	2.6	96.7	59.4
		Min	13.5	8.0	0.0	76.8	48.1
	D	17-Feb-16	28.0	8.3	0.0	51.0 ^a	48.3
		24-Feb-16	28.0	8.0	0.2	79.1	48.1
		2-Mar-16	27.9	8.1	0.0	89.6	50.4
9-Mar-16		27.8	8.2	1.5	80.7	50.2	
16-Mar-16 ^w		27.1	8.2	0.3	87.4	51.1	
23-Mar-16		23.2	8.2	0.4	94.7	51.3	
1-Apr-16		24.6	8.2	0.0	86.3	51.7	
6-Apr-16		24.5	8.2	0.0	86.6	52.5	
20-Apr-16		23.3	8.2	0.0	91.2	53.2	
27-Apr-16		22.1	8.4	0.0	87.9	54.0	
5-May-16		21.6	8.5	0.0	89.8	60.3	
11-May-16		19.9	8.2	0.0	84.0	54.1	
18-May-16		19.7	8.2	0.0	90.3	53.5	
1-Jun-16		16.9	8.1	0.0	92.0	54.9	
8-Jun-16		16.4	8.2	0.0	91.3	51.5	
24-Jun-16 ^w		15.7	8.3	0.0	101.6	53.0	
29-Jun-16		14.3	8.3	0.0	92.8	53.0	
6-Jul-16		13.6	8.5	0.0	85.8	54.6	
20-Jul-16 ^w		16.1	8.4	0.0	82.4	52.5	
25-Jul-16		14.4	8.6	0.1	83.1	53.6	
		Max	28.0	8.5	1.5	101.6	60.3
		Min	13.6	8.0	0.0	79.1	48.1
Relevant Trigger Values^b		Reference^c	6.5 - 8.5	20	80 - 110	Reference^c	

NOTES

Results shaded in grey exceed relevant Trigger Value(s)

^aResults suspected to be erroneous; possibly affected by faulty sensor or poor calibration; not identified as min values

^bSourced from section L2.4 of the EPL issued to JPG and/or Tables 3.3.2 and 3.3.3 of ANZECC Guidelines 2000

^cReference data typically refers to site-specific data collected over long periods (preferably 12 months) that can be used to establish appropriate trigger values for that particular area

^wRepresents a wet weather monitoring event

ELR6013 Trinity Point		Contractor	Site	Sampler	Phone	Most Recent Event								Trigger Values ^a
Historical Lab Results		Enviroacific	A	Annette Nolan	0423 812 776	20-Jul-16								
Analysis	LOR	Unit	Date											Trigger Values ^a
			24-Feb-16	9-Mar-16	23-Mar-16	6-Apr-16	20-Apr-16	5-May-16	18-May-16	1-Jun-16	24-Jun-16	6-Jul-16	20-Jul-16	
Suspended Solids	1	mg/L	4.8	5.9	2.6	2.6 ^b	110	3.6	4.2 ^g	7.4	3.2	20 ^h	6.5	10 ^b
Total Nitrogen	0.2	mg/L	0.5 ^b	0.5 ^b	< 0.1	0.5 ^b	< 0.2	3.9 ^b	0.2	< 0.2	0.2	< 0.2	0.4 ^b	0.3
Total PAH	0.001	mg/L	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	-
Phosphate Total as P ^f	0.05	mg/L	< 0.05	0.79 ^b	0.039 ^b	0.078 ^b	0.057 ^b	0.051 ^b	0.036 ^g	0.031 ^b	0.076 ^b	0.24 ^b	0.08 ^b	0.03
TRH C10 - C36	0.1	mg/L	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	-
TRH C6 - C9	0.02	mg/L	< 0.02	< 0.02	< 0.02	< 0.02	< 0.02	< 0.02	< 0.02	< 0.02	< 0.02	< 0.02	< 0.02	-
BTEX														
Benzene	0.001	mg/L	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	0.7
Toluene	0.001	mg/L	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	-
Ethylbenzene	0.001	mg/L	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	-
Total Xylenes	0.003	mg/L	< 0.003	< 0.003	< 0.003	< 0.003	< 0.003	< 0.003	< 0.003	< 0.003	< 0.003	< 0.003	< 0.003	-
Dissolved Metals														
Cadmium ^c	0.0002	mg/L	< 0.0002	< 0.0002	< 0.0002	< 0.0002	< 0.001	< 0.0002	< 0.0002	< 0.0002	< 0.0002	< 0.0002	< 0.0002	0.0055 ^d
Chromium	0.001	mg/L	< 0.001	< 0.001	< 0.001	< 0.001	< 0.005	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	0.0044 ^e
Copper	0.001	mg/L	0.001	0.001	0.001	< 0.001	< 0.005	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	0.0013
Tin	0.005	mg/L	< 0.005	< 0.005	< 0.005	< 0.005	< 0.025	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	-
Zinc	0.001	mg/L	0.009	0.001	< 0.001	0.001	< 0.005	< 0.001	< 0.001	< 0.001	0.005	0.002	0.001	0.015 ^d

NOTES

Shaded results indicate exceedence of 95% ANZECC Trigger Value(s) and/or value is 20% greater than that of background sites

Dashes (-) indicate applicable data is not provided in ANZECC guidelines (2000)

^aValues sourced from Table 3.3.2 of ANZECC Guidelines (2000) unless otherwise stated; only 95% trigger values are represented

^bSourced from Table 4.4.2 of ANZECC Guidelines (2000)

^cSpecies for which possible bioaccumulation and secondary poisoning effects should be considered

^dFigure may not protect key test species from chronic toxicity

^eValue given specifically for Cr(IV)

^fAnalyte corresponds to "Total Phosphorus" referred to in ANZECC Guidelines (2000)

^gElevated measurement is unlikely to be related to construction activities

ELR6013 Trinity Point		Contractor	Site	Sampler	Phone	Most Recent Event								Trigger Values ^g
Historical Lab Results		Enviroacific	B	Annette Nolan	0423 812 776	20-Jul-16								
Analysis	LOR	Unit	Date											Trigger Values ^g
			24-Feb-16	9-Mar-16	23-Mar-16	6-Apr-16	20-Apr-16	5-May-16	18-May-16	1-Jun-16	24-Jun-16	6-Jul-16	20-Jul-16	
Suspended Solids	1	mg/L	3.6	5	2.8	3.6 ^b	2.7	9.4 ^b	4.2 ^g	4.6	3.9	1.9 ^b	5.7	10 ^b
Total Nitrogen	0.2	mg/L	0.3 ^b	0.5 ^b	< 0.1	0.4 ^b	< 0.2	< 0.2	< 0.2	0.3	< 0.2	< 0.2	0.2	0.3
Total PAH	0.001	mg/L	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	-
Phosphate Total as P ^f	0.05	mg/L	< 0.05	< 0.05	0.038 ^b	0.05 ^b	0.027	0.038 ^b	0.029	0.025	0.045 ^b	0.088 ^b	0.042 ^g	0.03
TRH C10 - C36	0.1	mg/L	< 0.1	< 0.1	0.3	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	-
TRH C6 - C9	0.02	mg/L	< 0.02	< 0.02	< 0.02	< 0.02	< 0.02	< 0.02	< 0.02	< 0.02	< 0.02	< 0.02	< 0.02	-
BTEX														
Benzene	0.001	mg/L	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	0.7
Toluene	0.001	mg/L	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	-
Ethylbenzene	0.001	mg/L	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	-
Total Xylenes	0.003	mg/L	< 0.003	< 0.003	< 0.003	< 0.003	< 0.003	< 0.003	< 0.003	< 0.003	< 0.003	< 0.003	< 0.003	-
Dissolved Metals														
Cadmium ^c	0.0002	mg/L	< 0.0002	< 0.0002	< 0.0002	< 0.0002	< 0.001	< 0.0002	< 0.0002	< 0.0002	< 0.0002	< 0.0002	< 0.0002	0.0055 ^d
Chromium	0.001	mg/L	< 0.001	< 0.001	< 0.001	< 0.001	< 0.005	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	0.0044 ^e
Copper	0.001	mg/L	0.001	0.001	< 0.001	< 0.001	< 0.005	< 0.001	< 0.001	< 0.001	< 0.001	0.001	0.001	0.0013
Tin	0.005	mg/L	< 0.005	< 0.005	< 0.005	< 0.005	< 0.025	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	-
Zinc	0.001	mg/L	0.002	0.004	0.004	0.002	< 0.005	0.002	< 0.001	< 0.001	0.002	0.002	0.004	0.015 ^d

NOTES

Shaded results indicate exceedence of 95% ANZECC Trigger Value(s) and/or value is 20% greater than that of background sites

Dashes (-) indicate applicable data is not provided in ANZECC guidelines (2000)

^aValues sourced from Table 3.3.2 of ANZECC Guidelines (2000) unless otherwise stated; only 95% trigger values are represented

^bSourced from Table 4.4.2 of ANZECC Guidelines (2000)

^cSpecies for which possible bioaccumulation and secondary poisoning effects should be considered

^dFigure may not protect key test species from chronic toxicity

^eValue given specifically for Cr(IV)

^fAnalyte corresponds to "Total Phosphorus" referred to in ANZECC Guidelines (2000)

^gElevated measurement is unlikely to be related to construction activities

ELR6013 Trinity Point		Contractor	Site	Sampler	Phone	Most Recent Event								Trigger Values ^a
Historical Lab Results		Enviroacific	C	Annette Nolan	0423 812 776	20-Jul-16								
Analysis	LOR	Unit	Date											
			24-Feb-16	9-Mar-16	23-Mar-16	6-Apr-16	20-Apr-16	5-May-16	18-May-16	1-Jun-16	24-Jun-16	6-Jul-16	20-Jul-16	
Suspended Solids	1	mg/L	10 ^b	5.7	< 1	2	3.1	23 ^b	1.8	6.2	9.5	< 1.0	8.7	10 ^b
Total Nitrogen	0.2	mg/L	0.2	0.2	< 0.1	0.4 ^b	< 0.2	0.5 ^b	< 0.2	< 0.2	< 0.2	< 0.2	0.2	0.3
Total PAH	0.001	mg/L	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	-
Phosphate Total as P ^f	0.05	mg/L	< 0.05	< 0.05	0.031 ^b	0.044 ^b	0.039 ^b	0.031 ^b	0.028	0.028	0.037 ^b	0.073 ^b	0.029	0.03
TRH C10 - C36	0.1	mg/L	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	-
TRH C6 - C9	0.02	mg/L	< 0.02	< 0.02	< 0.02	< 0.02	< 0.02	< 0.02	< 0.02	< 0.02	< 0.02	< 0.02	< 0.02	-
BTEX														
Benzene	0.001	mg/L	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	0.7
Toluene	0.001	mg/L	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	-
Ethylbenzene	0.001	mg/L	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	-
Total Xylenes	0.003	mg/L	< 0.003	< 0.003	< 0.003	< 0.003	< 0.003	< 0.003	< 0.003	< 0.003	< 0.003	< 0.003	< 0.003	-
Dissolved Metals														
Cadmium ^c	0.0002	mg/L	< 0.0002	< 0.0002	< 0.0002	< 0.0002	< 0.001	< 0.0002	< 0.0002	< 0.0002	< 0.0002	< 0.0002	< 0.0002	0.0055 ^d
Chromium	0.001	mg/L	< 0.001	< 0.001	< 0.001	< 0.001	< 0.005	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	0.0044 ^e
Copper	0.001	mg/L	0.001	0.001	< 0.001	< 0.001	< 0.005	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	0.001	0.0013
Tin	0.005	mg/L	< 0.005	< 0.005	< 0.005	< 0.005	< 0.025	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	-
Zinc	0.001	mg/L	0.001	0.002	0.002	< 0.001	< 0.005	0.002	< 0.001	< 0.001	0.002	0.002	0.005	0.015 ^d

NOTES

Shaded results indicate exceedence of 95% ANZECC Trigger Value(s) and/or value is 20% greater than that of background sites

Dashes (-) indicate applicable data is not provided in ANZECC guidelines (2000)

^aValues sourced from Table 3.3.2 of ANZECC Guidelines (2000) unless otherwise stated; only 95% trigger values are represented

^bSourced from Table 4.4.2 of ANZECC Guidelines (2000)

^cSpecies for which possible bioaccumulation and secondary poisoning effects should be considered

^dFigure may not protect key test species from chronic toxicity

^eValue given specifically for Cr(IV)

^fAnalyte corresponds to "Total Phosphorus" referred to in ANZECC Guidelines (2000)

^gElevated measurement is unlikely to be related to construction activities

ELR6013 Trinity Point		Contractor	Site	Sampler	Phone	Most Recent Event								
Historical Lab Results		Enviroacific	D	Annette Nolan	0423 812 776	20-Jul-16								
Analysis	LOR	Unit	Date											Trigger Values ^a
			24-Feb-16	9-Mar-16	23-Mar-16	6-Apr-16	20-Apr-16	5-May-16	18-May-16	1-Jun-16	24-Jun-16	6-Jul-16	20-Jul-16	
Suspended Solids	1	mg/L	6.5	4.6	3.6	1.2	2.8	3.6	11 ^g	12 ^g	5.9	1.2	1.1	10 ^b
Total Nitrogen	0.2	mg/L	<0.1	0.2	0.5 ^g	0.7 ^g	<0.2	3.9 ^g	<0.2	<0.2	<0.2	<0.2	<0.2	0.3
Total PAH	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	-
Phosphate Total as P ^f	0.05	mg/L	<0.05	<0.05	0.034 ^g	0.041 ^g	0.035 ^g	0.051 ^g	0.03	0.042 ^g	0.041 ^g	0.068 ^g	0.043 ^g	0.03
TRH C10 - C36	0.1	mg/L	<0.1	<0.1	0.3	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	-
TRH C6 - C9	0.02	mg/L	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	-
BTEX														
Benzene	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.7
Toluene	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	-
Ethylbenzene	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	-
Total Xylenes	0.003	mg/L	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	-
Dissolved Metals														
Cadmium ^c	0.0002	mg/L	<0.0002	<0.0002	<0.0002	<0.0002	<0.001	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.0055 ^d
Chromium	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.0044 ^e
Copper	0.001	mg/L	0.001	0.001	0.001	<0.001	<0.005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.0013
Tin	0.005	mg/L	<0.005	<0.005	<0.005	<0.005	<0.025	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	-
Zinc	0.001	mg/L	0.002	0.005	0.005	0.002	<0.005	<0.001	<0.001	<0.001	0.003	0.002	0.003	0.015 ^d

NOTES

Shaded results indicate exceedence of 95% ANZECC Trigger Value(s) and/or value is 20% greater than that of background sites

Dashes (-) indicate applicable data is not provided in ANZECC guidelines (2000)

^aValues sourced from Table 3.3.2 of ANZECC Guidelines (2000) unless otherwise stated; only 95% trigger values are represented

^bSourced from Table 4.4.2 of ANZECC Guidelines (2000)

^cSpecies for which possible bioaccumulation and secondary poisoning effects should be considered

^dFigure may not protect key test species from chronic toxicity

^eValue given specifically for Cr(IV)

^fAnalyte corresponds to "Total Phosphorus" referred to in ANZECC Guidelines (2000)

^gElevated measurement is unlikely to be related to construction activities