

| ELR6013 Trinity Point | | Contractor | Sampler | Phone | Most Recent Event | |
|-----------------------|------------------------|-------------------|---------------|-----------------------------------------|--------------------|------------|
| Historical Probe Data | | Enviropro Pacific | Annette Nolan | 0423 812 776 | 29-Sep-16 | |
| Site | Date | Temperature [C] | pH | Depth-Average Parameter Turbidity [NTU] | DO [%] | EC [mS/cm] |
| A | 17-Feb-16 | 28.1 | 8.3 | 0.1 | 65.45 [*] | 46.6 |
| | 24-Feb-16 | 27.8 | 8.0 | 0.4 | 88.8 | 46.6 |
| | 2-Mar-16 | 27.5 | 8.1 | 0.5 | 79.2 | 49.2 |
| | 9-Mar-16 | 27.7 | 8.2 | 1.1 | 87.5 | 49.1 |
| | 16-Mar-16 [*] | 27.1 | 8.2 | 1.3 | 73.4 | 51.9 |
| | 23-Mar-16 | 23.1 | 8.2 | 3.3 | 85.6 | 50.5 |
| | 1-Apr-16 | 24.9 | 8.2 | 0.0 | 84.6 | 53.2 |
| | 6-Apr-16 | 24.6 | 8.2 | 0.4 | 85.7 | 53.6 |
| | 20-Apr-16 | 23.1 | 8.2 | 0.0 | 94.1 | 51.6 |
| | 27-Apr-16 | 21.9 | 8.4 | 0.0 | 89.2 | 53.3 |
| | 5-May-16 | 21.7 | 8.4 | 0.0 | 89.2 | 51.8 |
| | 11-May-16 | 20.0 | 8.2 | 0.0 | 84.1 | 54.5 |
| | 18-May-16 | 19.7 | 8.1 | 0.0 | 82.4 | 55.2 |
| | 1-Jun-16 | 16.9 | 8.2 | 0.0 | 93.7 | 54.9 |
| | 8-Jun-16 | 16.4 | 8.3 | 0.0 | 92.2 | 52.5 |
| | 24-Jun-16 [*] | 15.3 | 8.3 | 0.0 | 88.7 | 52.9 |
| | 29-Jun-16 | 14.5 | 8.3 | 0.0 | 85.6 | 52.8 |
| | 6-Jul-16 | 13.4 | 8.5 | 0.0 | 93.3 | 54.2 |
| | 15-Jul-16 | 13.5 | 8.5 | 0.4 | 89.0 | 53.5 |
| | 20-Jul-16 [*] | 14.9 | 8.4 | 0.0 | 103.7 | 53.8 |
| | 25-Jul-16 | 13.9 | 8.4 | 0.2 | 91.7 | 53.5 |
| | 3-Aug-16 [*] | 15.3 | 8.3 | 5.4 | 81.6 | 52.2 |
| | 10-Aug-16 | 16.1 | 8.1 | 4.2 | 81.8 | 52.0 |
| | 17-Aug-16 [*] | 17.7 | 8.5 | 0.3 | 89.1 | 76.1 |
| | 24-Aug-16 | 17.2 | 8.5 | 4.4 | 77.2 | 77.7 |
| | 2-Sep-16 [*] | 18.1 | 8.5 | 2.1 | 94.6 | 71.8 |
| | 7-Sep-16 | 19.8 | 8.6 | 0.7 | 85.1 | 75.6 |
| | 15-Sep-16 | 18.5 | 8.6 | 1.3 | 81.5 | 75.7 |
| | 21-Sep-16 | 18.7 | 8.0 | 2.6 | 65.8 [*] | 76.9 |
| 29-Sep-16 | 18.4 | 7.9 | 3.4 | 100.8 | 77.7 | |
| Max | 28.1 | 8.6 | 5.4 | 103.7 | 77.7 | |
| Min | 13.4 | 7.9 | 0.0 | 73.4 | 46.6 | |
| B | 17-Feb-16 | 28.1 | 8.2 | 1.5 | 53.1 [*] | 46.5 |
| | 24-Feb-16 | 28.1 | 8.0 | 0.2 | 72.2 | 49.2 |
| | 2-Mar-16 | 27.5 | 8.1 | 0.0 | 83.5 | 51.2 |
| | 9-Mar-16 | 27.9 | 8.1 | 1.1 | 80.6 | 50.4 |
| | 16-Mar-16 [*] | 27.0 | 8.2 | 0.3 | 77.6 | 52.1 |
| | 23-Mar-16 | 23.2 | 8.2 | 1.8 | 89.6 | 52.1 |
| | 1-Apr-16 | 24.8 | 8.2 | 0.3 | 86.9 | 53.2 |
| | 6-Apr-16 | 24.5 | 8.2 | 0.1 | 89.1 | 52.3 |
| | 20-Apr-16 | 23.2 | 8.2 | 0.0 | 97.0 | 51.2 |
| | 27-Apr-16 | 22.2 | 8.4 | 0.0 | 89.6 | 52.2 |
| | 5-May-16 | 21.7 | 8.5 | 0.0 | 93.4 | 59.8 |
| | 11-May-16 | 19.8 | 8.2 | 0.1 | 105.3 | 54.3 |
| | 18-May-16 | 19.7 | 8.2 | 0.0 | 87.3 | 55.3 |
| | 1-Jun-16 | 16.8 | 8.2 | 0.0 | 87.3 | 55.0 |
| | 8-Jun-16 | 16.3 | 8.3 | 0.0 | 91.8 | 59.9 |
| | 24-Jun-16 [*] | 15.6 | 8.3 | 0.0 | 91.8 | 52.1 |
| | 29-Jun-16 | 14.4 | 8.3 | 0.0 | 90.6 | 53.6 |
| | 6-Jul-16 | 13.5 | 8.5 | 0.0 | 92.0 | 53.4 |
| | 15-Jul-16 | 13.5 | 8.5 | 0.2 | 84.1 | 54.1 |
| | 20-Jul-16 [*] | 15.5 | 8.5 | 0.0 | 89.0 | 53.4 |
| | 25-Jul-16 | 14.1 | 8.4 | 0.1 | 79.1 | 51.5 |
| | 3-Aug-16 [*] | 15.5 | 8.3 | 5.2 | 85.0 | 54.0 |
| | 10-Aug-16 | 16.0 | 8.1 | 3.3 | 99.9 | 53.2 |
| | 17-Aug-16 [*] | 17.9 | 8.4 | 0.0 | 84.8 | 76.0 |
| | 24-Aug-16 | 17.2 | 8.5 | 2.8 | 73.5 | 74.8 |
| | 2-Sep-16 [*] | 18.3 | 8.5 | 2.0 | 88.4 | 75.4 |
| | 7-Sep-16 | 19.7 | 8.6 | 0.5 | 89.8 | 76.6 |
| | 15-Sep-16 | 18.7 | 8.6 | 0.6 | 75.9 | 76.6 |
| | 21-Sep-16 | 18.7 | 8.0 | 0.6 | 89.7 | 77.5 |
| 29-Sep-16 | 18.4 | 7.9 | 3.2 | 98.1 | 76.2 | |
| Max | 28.1 | 8.6 | 5.2 | 105.3 | 77.5 | |
| Min | 13.5 | 7.9 | 0.0 | 72.2 | 46.5 | |
| C | 17-Feb-16 | 28.0 | 8.3 | 0.0 | 45.9 [*] | 48.1 |
| | 24-Feb-16 | 27.5 | 8.0 | 0.2 | 87.9 | 50.3 |
| | 2-Mar-16 | 28.2 | 8.1 | 0.0 | 82.7 | 50.1 |
| | 9-Mar-16 | 27.2 | 8.2 | 2.6 | 82.5 | 49.1 |
| | 16-Mar-16 [*] | 27.1 | 8.2 | 1.3 | 76.8 | 51.2 |
| | 23-Mar-16 | 23.0 | 8.2 | 0.1 | 86.1 | 51.8 |
| | 1-Apr-16 | 24.4 | 8.2 | 0.0 | 88.4 | 51.7 |
| | 6-Apr-16 | 24.5 | 8.2 | 0.0 | 86.1 | 59.4 |
| | 20-Apr-16 | 23.1 | 8.2 | 0.0 | 93.8 | 50.3 |
| | 27-Apr-16 | 21.9 | 8.5 | 0.0 | 88.1 | 53.6 |
| | 5-May-16 | 21.7 | 8.4 | 0.0 | 87.1 | 52.4 |
| | 11-May-16 | 20.0 | 8.2 | 0.0 | 87.3 | 54.1 |
| | 18-May-16 | 19.5 | 8.2 | 0.0 | 95.0 | 55.0 |
| | 1-Jun-16 | 16.7 | 8.2 | 0.0 | 91.9 | 53.8 |
| | 8-Jun-16 | 16.7 | 8.2 | 0.0 | 91.9 | 53.8 |
| | 24-Jun-16 [*] | 15.5 | 8.3 | 0.0 | 92.5 | 53.1 |
| | 29-Jun-16 | 14.1 | 8.3 | 0.0 | 96.7 | 53.4 |
| | 6-Jul-16 | 13.5 | 8.5 | 0.0 | 93.1 | 52.7 |
| | 15-Jul-16 | 13.0 | 8.5 | 0.9 | 88.0 | 54.2 |
| | 20-Jul-16 [*] | 15.3 | 8.4 | 0.0 | 91.3 | 53.6 |
| | 25-Jul-16 | 13.9 | 8.4 | 4.6 | 88.3 | 50.3 |
| | 3-Aug-16 [*] | 15.4 | 8.3 | 4.8 | 82.5 | 53.3 |
| | 10-Aug-16 | 15.7 | 8.1 | 3.4 | 82.4 | 53.5 |
| | 17-Aug-16 [*] | 17.6 | 8.5 | 0.0 | 86.3 | 76.3 |
| | 24-Aug-16 | 17.1 | 8.5 | 4.0 | 88.5 | 76.3 |
| | 2-Sep-16 [*] | 18.2 | 8.5 | 1.8 | 92.0 | 76.0 |
| | 7-Sep-16 | 19.7 | 8.6 | 0.9 | 96.5 | 76.9 |
| | 15-Sep-16 | 18.5 | 8.6 | 0.5 | 78.4 | 76.4 |
| | 21-Sep-16 | 18.7 | 8.0 | 0.3 | 69.0 [*] | 77.3 |
| 29-Sep-16 | 18.5 | 7.9 | 2.9 | 97.7 | 76.8 | |
| Max | 28.2 | 8.6 | 4.8 | 97.7 | 77.3 | |
| Min | 13.0 | 7.9 | 0.0 | 76.8 | 48.1 | |
| D | 17-Feb-16 | 28.0 | 8.3 | 0.0 | 51.0 [*] | 48.5 |
| | 24-Feb-16 | 28.0 | 8.0 | 0.2 | 79.1 | 48.1 |
| | 2-Mar-16 | 27.9 | 8.1 | 0.0 | 89.6 | 50.4 |
| | 9-Mar-16 | 27.8 | 8.2 | 1.5 | 80.7 | 50.2 |
| | 16-Mar-16 [*] | 27.1 | 8.2 | 0.3 | 87.4 | 51.1 |
| | 23-Mar-16 | 23.2 | 8.2 | 0.4 | 94.7 | 51.3 |
| | 1-Apr-16 | 24.6 | 8.2 | 0.0 | 86.3 | 51.7 |
| | 6-Apr-16 | 24.5 | 8.2 | 0.0 | 86.6 | 52.5 |
| | 20-Apr-16 | 23.3 | 8.2 | 0.0 | 91.2 | 53.2 |
| | 27-Apr-16 | 22.1 | 8.4 | 0.0 | 87.9 | 54.0 |
| | 5-May-16 | 21.6 | 8.5 | 0.0 | 89.8 | 60.3 |
| | 11-May-16 | 19.9 | 8.2 | 0.0 | 84.0 | 54.1 |
| | 18-May-16 | 19.7 | 8.2 | 0.0 | 90.3 | 53.5 |
| | 1-Jun-16 | 16.9 | 8.1 | 0.0 | 92.0 | 54.9 |
| | 8-Jun-16 | 16.4 | 8.2 | 0.0 | 91.3 | 51.5 |
| | 24-Jun-16 [*] | 15.7 | 8.3 | 0.0 | 101.6 | 53.0 |
| | 29-Jun-16 | 14.3 | 8.3 | 0.0 | 92.8 | 53.0 |
| | 6-Jul-16 | 13.6 | 8.5 | 0.0 | 85.8 | 54.6 |
| | 15-Jul-16 | 13.6 | 8.5 | 0.4 | 95.2 | 53.2 |
| | 20-Jul-16 [*] | 16.1 | 8.4 | 0.0 | 82.4 | 52.5 |
| | 25-Jul-16 | 14.4 | 8.6 | 0.1 | 83.1 | 53.6 |
| | 3-Aug-16 [*] | 15.5 | 8.2 | 5.0 | 85.8 | 53.4 |
| | 10-Aug-16 | 16.1 | 8.1 | 3.5 | 87.2 | 52.4 |
| | 17-Aug-16 [*] | 18.0 | 8.5 | 0.0 | 86.7 | 76.4 |
| | 24-Aug-16 | 17.6 | 8.5 | 2.5 | 79.9 | 76.8 |
| | 2-Sep-16 [*] | 18.7 | 8.5 | 1.6 | 84.3 | 74.6 |
| | 7-Sep-16 | 19.3 | 8.6 | 1.0 | 77.8 | 77.3 |
| | 15-Sep-16 | 18.7 | 8.6 | 0.7 | 88.2 | 77.2 |
| | 21-Sep-16 | 18.8 | 7.9 | 0.2 | 71.8 [*] | 77.0 |
| 29-Sep-16 | 18.6 | 7.8 | 2.3 | 87.4 | 77.1 | |
| Max | 28.0 | 8.6 | 5.0 | 101.6 | 77.3 | |
| Min | 13.6 | 7.8 | 0.0 | 77.8 | 48.1 | |

Relevant Trigger Values¹ Reference 6.5 - 8.5 20 80 - 110 Reference

NOTES

Results shaded in grey exceed relevant Trigger Values

¹Results suspected to be erroneous (possibly affected by faulty sensor or poor calibration, not identified as min values)

²Sourced from section L2.4 of the EPL issued to JRC and/or Tables 3.3.2 and 3.3.3 of ANZECC Guidelines 2000

³Reference data typically refers to site-specific data collected over long periods (preferably 12 months) that can be used to establish appropriate trigger values for that particular area

⁴Represents a wet weather monitoring event

| ELR6013 Trinity Point | | Contractor | Site | Sampler | Phone | | | | | | | | | | | | Most Recent Event |
|-----------------------------------|--------|--------------|------------------|-------------------|-----------------------------|--------------------|--------------------|--------------------|--------------------|--------------------|-----------|----------|-------------------|--------------------|--------------------|-----------------------------|---------------------|
| Historical Lab Results | | Enviroacific | A | AN/BH | 0423 812 776 / 0407 611 042 | | | | | | | | | | | | 2-Sep-16 |
| Analysis | LOR | Unit | Date | | | | | | | | | | | | | Trigger Values ^a | |
| | | | 24-Feb-16 | 9-Mar-16 | 23-Mar-16 | 6-Apr-16 | 20-Apr-16 | 5-May-16 | 18-May-16 | 1-Jun-16 | 24-Jun-16 | 6-Jul-16 | 20-Jul-16 | 3-Aug-16 | 17-Aug-16 | | 2-Sep-16 |
| Suspended Solids | 1 | mg/L | 4.8 | 5.9 | 2.6 | 2.6 ^b | 110 | 3.6 | 4.2 ^g | 7.4 | 3.2 | 20 | 6.5 | 12 ^b | 12 ^b | 3.0 | 10 ^b |
| Total Nitrogen | 0.2 | mg/L | 0.5 ^b | 0.5 ^b | < 0.1 | 0.5 ^b | < 0.2 | 3.9 ^b | 0.2 | < 0.2 | 0.2 | < 0.2 | 0.4 ^b | 0.3 | 0.3 | < 0.2 | 0.3 |
| Total PAH | 0.001 | mg/L | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | - |
| Phosphate Total as P ^f | 0.05 | mg/L | < 0.05 | 0.79 ^b | 0.039 ^b | 0.078 ^b | 0.057 ^b | 0.051 ^b | 0.036 ^g | 0.031 ^b | 0.076 | < 0.05 | 0.08 ^b | 0.039 ^b | 0.1 ^b | 0.4 ^b | 0.03 |
| TRH C10 - C36 | 0.1 | mg/L | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | - |
| TRH C6 - C9 | 0.02 | mg/L | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | - |
| BTEX | | | | | | | | | | | | | | | | | |
| Benzene | 0.001 | mg/L | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | 0.7 |
| Toluene | 0.001 | mg/L | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | - |
| Ethylbenzene | 0.001 | mg/L | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | - |
| Total Xylenes | 0.003 | mg/L | < 0.003 | < 0.003 | < 0.003 | < 0.003 | < 0.003 | < 0.003 | < 0.003 | < 0.003 | < 0.003 | < 0.003 | < 0.003 | < 0.003 | < 0.003 | < 0.003 | - |
| Dissolved Metals | | | | | | | | | | | | | | | | | |
| Cadmium ^c | 0.0002 | mg/L | < 0.0002 | < 0.0002 | < 0.0002 | < 0.0002 | < 0.001 | < 0.0002 | < 0.0002 | < 0.0002 | < 0.0002 | < 0.0002 | < 0.0002 | 0.0003 | < 0.0002 | 0.0002 | 0.0055 ^d |
| Chromium | 0.001 | mg/L | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.005 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | 0.0044 ^e |
| Copper | 0.001 | mg/L | 0.001 | 0.001 | 0.001 | < 0.001 | < 0.005 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | 0.002 ^b | < 0.001 | 0.0013 |
| Tin | 0.005 | mg/L | < 0.005 | < 0.005 | < 0.005 | < 0.005 | < 0.025 | < 0.005 | < 0.005 | < 0.005 | < 0.005 | < 0.005 | < 0.005 | < 0.005 | < 0.005 | < 0.005 | - |
| Zinc | 0.001 | mg/L | 0.009 | 0.001 | < 0.001 | 0.001 | < 0.005 | < 0.001 | < 0.001 | < 0.001 | 0.005 | 0.002 | 0.001 | 0.003 | 0.024 ^b | 0.002 | 0.015 ^d |

NOTES

Shaded results indicate exceedence of 95% ANZECC Trigger Value(s) and/or value is 20% greater than that of background sites

Dashes (-) indicate applicable data is not provided in ANZECC guidelines (2000)

^aValues sourced from Table 3.3.2 of ANZECC Guidelines (2000) unless otherwise stated; only 95% trigger values are represented

^bSourced from Table 4.4.2 of ANZECC Guidelines (2000)

^cSpecies for which possible bioaccumulation and secondary poisoning effects should be considered

^dFigure may not protect key test species from chronic toxicity

^eValue given specifically for Cr(IV)

^fAnalyte corresponds to "Total Phosphorus" referred to in ANZECC Guidelines (2000)

^gElevated measurement is unlikely to be related to construction activities

| ELR6013 Trinity Point Contractor Site Sampler Phone | | | Most Recent Event | | | | | | | | | | | | | | |
|-----------------------------------------------------|--------|------|-----------------------------|------------------|--------------------|-------------------|-----------|--------------------|------------------|----------|-----------|----------|-----------|--------------------|--------------------|-------------------|-----------------------------|
| Historical Lab Results EnviroPacific B AN/BH | | | 0423 812 776 / 0407 611 042 | | | | | | | | | | | | | | |
| Analysis | LOR | Unit | Date | | | | | | | | | | | | | | Trigger Values ^a |
| | | | 24-Feb-16 | 9-Mar-16 | 23-Mar-16 | 6-Apr-16 | 20-Apr-16 | 5-May-16 | 18-May-16 | 1-Jun-16 | 24-Jun-16 | 6-Jul-16 | 20-Jul-16 | 3-Aug-16 | 17-Aug-16 | 2-Sep-16 | |
| Suspended Solids | 1 | mg/L | 3.6 | 5 | 2.8 | 3.6 ^b | 2.7 | 9.4 ^b | 4.2 ^g | 4.6 | 3.9 | 1.9 | 5.7 | 6 | 13 ^b | 3.3 | 10 ^b |
| Total Nitrogen | 0.2 | mg/L | 0.3 ^b | 0.5 ^b | < 0.1 | 0.4 ^b | < 0.2 | < 0.2 | < 0.2 | 0.3 | < 0.2 | < 0.2 | 0.2 | 0.2 | 0.3 | < 0.2 | 0.3 |
| Total PAH | 0.001 | mg/L | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | - |
| Phosphate Total as P ^f | 0.05 | mg/L | < 0.05 | < 0.05 | 0.038 ^b | 0.05 ^b | 0.027 | 0.038 ^b | 0.029 | 0.025 | 0.045 | < 0.05 | 0.042g | 0.038 ^b | 0.1 ^b | 0.19 ^b | 0.03 |
| TRH C10 - C36 | 0.1 | mg/L | < 0.1 | < 0.1 | 0.3 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | - |
| TRH C6 - C9 | 0.02 | mg/L | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | - |
| BTEX | | | | | | | | | | | | | | | | | |
| Benzene | 0.001 | mg/L | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | 0.7 |
| Toluene | 0.001 | mg/L | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | 0.001 | < 0.001 | - |
| Ethylbenzene | 0.001 | mg/L | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | - |
| Total Xylenes | 0.003 | mg/L | < 0.003 | < 0.003 | < 0.003 | < 0.003 | < 0.003 | < 0.003 | < 0.003 | < 0.003 | < 0.003 | < 0.003 | < 0.003 | < 0.003 | < 0.003 | < 0.003 | - |
| Dissolved Metals | | | | | | | | | | | | | | | | | |
| Cadmium ^c | 0.0002 | mg/L | < 0.0002 | < 0.0002 | < 0.0002 | < 0.0002 | < 0.001 | < 0.0002 | < 0.0002 | < 0.0002 | < 0.0002 | < 0.0002 | < 0.0002 | < 0.0002 | < 0.0002 | < 0.0002 | 0.0055 ^d |
| Chromium | 0.001 | mg/L | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.005 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | 0.0044 ^e |
| Copper | 0.001 | mg/L | 0.001 | 0.001 | < 0.001 | < 0.001 | < 0.005 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | 0.001 | 0.001 | < 0.001 | 0.002 ^b | 0.001 | 0.0013 |
| Tin | 0.005 | mg/L | < 0.005 | < 0.005 | < 0.005 | < 0.005 | < 0.025 | < 0.005 | < 0.005 | < 0.005 | < 0.005 | < 0.005 | < 0.005 | < 0.005 | < 0.005 | < 0.005 | - |
| Zinc | 0.001 | mg/L | 0.002 | 0.004 | 0.004 | 0.002 | < 0.005 | 0.002 | < 0.001 | < 0.001 | 0.002 | 0.002 | 0.004 | 0.006 | 0.019 ^b | 0.004 | 0.015 ^d |

NOTES

Shaded results indicate exceedence of 95% ANZECC Trigger Value(s) and/or value is 20% greater than that of background sites

Dashes (-) indicate applicable data is not provided in ANZECC guidelines (2000)

^aValues sourced from Table 3.3.2 of ANZECC Guidelines (2000) unless otherwise stated; only 95% trigger values are represented

^bSourced from Table 4.4.2 of ANZECC Guidelines (2000)

^cSpecies for which possible bioaccumulation and secondary poisoning effects should be considered

^dFigure may not protect key test species from chronic toxicity

^eValue given specifically for Cr(IV)

^fAnalyte corresponds to "Total Phosphorus" referred to in ANZECC Guidelines (2000)

^gElevated measurement is unlikely to be related to construction activities

| ELR6013 Trinity Point | | Contractor | Site | Sampler | Phone | | | | | | | | | | | | Most Recent Event |
|-----------------------------------|--------|---------------|-----------------|----------|-----------------------------|--------------------|--------------------|--------------------|-----------|----------|-----------|----------|-----------|--------------------|--------------------|-----------------------------|---------------------|
| Historical Lab Results | | EnviroPacific | C | AN/BH | 0423 812 776 / 0407 611 042 | | | | | | | | | | | | 2-Sep-16 |
| Analysis | LOR | Unit | Date | | | | | | | | | | | | | Trigger Values ^a | |
| | | | 24-Feb-16 | 9-Mar-16 | 23-Mar-16 | 6-Apr-16 | 20-Apr-16 | 5-May-16 | 18-May-16 | 1-Jun-16 | 24-Jun-16 | 6-Jul-16 | 20-Jul-16 | 3-Aug-16 | 17-Aug-16 | | 2-Sep-16 |
| Suspended Solids | 1 | mg/L | 10 ^b | 5.7 | < 1 | 2 | 3.1 | 23 ^b | 1.8 | 6.2 | 9.5 | < 1.0 | 8.7 | 10 | 4 | 2.7 | 10 ^b |
| Total Nitrogen | 0.2 | mg/L | 0.2 | 0.2 | < 0.1 | 0.4 ^b | < 0.2 | 0.5 ^b | < 0.2 | < 0.2 | < 0.2 | < 0.2 | 0.2 | 0.5 ^b | < 0.2 | < 0.2 | 0.3 |
| Total PAH | 0.001 | mg/L | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | - |
| Phosphate Total as P ^f | 0.05 | mg/L | < 0.05 | < 0.05 | 0.031 ^b | 0.044 ^b | 0.039 ^b | 0.031 ^b | 0.028 | 0.028 | 0.037 | < 0.05 | 0.029 | 0.035 ^b | 0.089 ^b | 0.11 ^b | 0.03 |
| TRH C10 - C36 | 0.1 | mg/L | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.1 | - |
| TRH C6 - C9 | 0.02 | mg/L | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | < 0.02 | - |
| BTEX | | | | | | | | | | | | | | | | | |
| Benzene | 0.001 | mg/L | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | 0.7 |
| Toluene | 0.001 | mg/L | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | - |
| Ethylbenzene | 0.001 | mg/L | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | - |
| Total Xylenes | 0.003 | mg/L | < 0.003 | < 0.003 | < 0.003 | < 0.003 | < 0.003 | < 0.003 | < 0.003 | < 0.003 | < 0.003 | < 0.003 | < 0.003 | < 0.003 | < 0.003 | < 0.003 | - |
| Dissolved Metals | | | | | | | | | | | | | | | | | |
| Cadmium ^c | 0.0002 | mg/L | < 0.0002 | < 0.0002 | < 0.0002 | < 0.0002 | < 0.001 | < 0.0002 | < 0.0002 | < 0.0002 | < 0.0002 | < 0.0002 | < 0.0002 | < 0.0002 | < 0.0002 | < 0.0002 | 0.0055 ^d |
| Chromium | 0.001 | mg/L | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.005 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | 0.0044 ^e |
| Copper | 0.001 | mg/L | 0.001 | 0.001 | < 0.001 | < 0.001 | < 0.005 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | 0.001 | < 0.001 | < 0.001 | 0.001 | 0.0013 |
| Tin | 0.005 | mg/L | < 0.005 | < 0.005 | < 0.005 | < 0.005 | < 0.025 | < 0.005 | < 0.005 | < 0.005 | < 0.005 | < 0.005 | < 0.005 | < 0.005 | < 0.005 | < 0.005 | - |
| Zinc | 0.001 | mg/L | 0.001 | 0.002 | 0.002 | < 0.001 | < 0.005 | 0.002 | < 0.001 | < 0.001 | 0.002 | 0.002 | 0.005 | 0.009 | 0.004 | 0.002 | 0.015 ^d |

NOTES

- ^a Shaded results indicate exceedence of 95% ANZECC Trigger Value(s) and/or value is 20% greater than that of background sites
- ^b Dashes (-) indicate applicable data is not provided in ANZECC guidelines (2000)
- ^c Values sourced from Table 3.3.2 of ANZECC Guidelines (2000) unless otherwise stated; only 95% trigger values are represented
- ^d Sourced from Table 4.4.2 of ANZECC Guidelines (2000)
- ^e Species for which possible bioaccumulation and secondary poisoning effects should be considered
- ^f Figure may not protect key test species from chronic toxicity
- ^g Value given specifically for Cr(IV)
- ^h Analyte corresponds to "Total Phosphorus" referred to in ANZECC Guidelines (2000)
- ⁱ Elevated measurement is unlikely to be related to construction activities

| ELR6013 Trinity Point | | Contractor | Site | Sampler | Phone | | | | | | | | | | | Most Recent Event | |
|-----------------------------------|--------|----------------|-----------|----------|-----------------------------|--------------------|--------------------|--------------------|-----------------|--------------------|-----------|----------|--------------------|--------------------|--------------------|-----------------------------|---------------------|
| Historical Lab Results | | Enviro Pacific | D | AN/BH | 0423 812 776 / 0407 611 042 | | | | | | | | | | | 2-Sep-16 | |
| Analysis | LOR | Unit | Date | | | | | | | | | | | | | Trigger Values ^a | |
| | | | 24-Feb-16 | 9-Mar-16 | 23-Mar-16 | 6-Apr-16 | 20-Apr-16 | 5-May-16 | 18-May-16 | 1-Jun-16 | 24-Jun-16 | 6-Jul-16 | 20-Jul-16 | 3-Aug-16 | 17-Aug-16 | | 2-Sep-16 |
| Suspended Solids | 1 | mg/L | 6.5 | 4.6 | 3.6 | 1.2 | 2.8 | 3.6 | 11 ^g | 12 ^g | 5.9 | 1.2 | 1.1 | 18 ^g | 4.2 | 5.2 | 10 ^b |
| Total Nitrogen | 0.2 | mg/L | <0.1 | 0.2 | 0.5 ^e | 0.7 ^e | <0.2 | 3.9 ^e | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | 1 ^e | <0.2 | <0.2 | 0.3 |
| Total PAH | 0.001 | mg/L | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | - |
| Phosphate Total as P ^f | 0.05 | mg/L | <0.05 | <0.05 | 0.034 ^e | 0.041 ^e | 0.035 ^e | 0.051 ^e | 0.03 | 0.042 ^e | 0.041 | <0.05 | 0.043 ^e | 0.05 ^e | 0.086 ^e | 0.082 ^e | 0.03 |
| TRH C10 - C36 | 0.1 | mg/L | <0.1 | <0.1 | 0.3 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | - |
| TRH C6 - C9 | 0.02 | mg/L | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | - |
| BTEX | | | | | | | | | | | | | | | | | |
| Benzene | 0.001 | mg/L | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | 0.7 |
| Toluene | 0.001 | mg/L | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | - |
| Ethylbenzene | 0.001 | mg/L | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | - |
| Total Xylenes | 0.003 | mg/L | <0.003 | <0.003 | <0.003 | <0.003 | <0.003 | <0.003 | <0.003 | <0.003 | <0.003 | <0.003 | <0.003 | <0.003 | <0.003 | <0.003 | - |
| Dissolved Metals | | | | | | | | | | | | | | | | | |
| Cadmium ^c | 0.0002 | mg/L | <0.0002 | <0.0002 | <0.0002 | <0.0002 | <0.001 | <0.0002 | <0.0002 | <0.0002 | <0.0002 | <0.0002 | <0.0002 | <0.0002 | <0.0002 | 0.0002 | 0.0055 ^d |
| Chromium | 0.001 | mg/L | <0.001 | <0.001 | <0.001 | <0.001 | <0.005 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | 0.0044 ^e |
| Copper | 0.001 | mg/L | 0.001 | 0.001 | 0.001 | <0.001 | <0.005 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | 0.003 ^e | <0.001 | 0.001 | 0.0013 |
| Tin | 0.005 | mg/L | <0.005 | <0.005 | <0.005 | <0.005 | <0.025 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | - |
| Zinc | 0.001 | mg/L | 0.002 | 0.005 | 0.005 | 0.002 | <0.005 | <0.001 | <0.001 | <0.001 | 0.003 | 0.002 | 0.003 | 0.037 ^e | 0.001 | 0.002 | 0.015 ^d |

NOTES

- Shaded results indicate exceedance of 95% ANZECC Trigger Value(s) and/or value is 20% greater than that of background sites
- Dashes (-) indicate applicable data is not provided in ANZECC guidelines (2000)
- ^aValues sourced from Table 3.3.2 of ANZECC Guidelines (2000) unless otherwise stated; only 95% trigger values are represented
- ^bSourced from Table 4.4.2 of ANZECC Guidelines (2000)
- ^cSpecies for which possible bioaccumulation and secondary poisoning effects should be considered
- ^dFigure may not protect key test species from chronic toxicity
- ^eValue given specifically for Cr(IV)
- ^fAnalyte corresponds to "Total Phosphorus" referred to in ANZECC Guidelines (2000)
- ^gElevated measurement is unlikely to be related to construction activities